

CHATSWORTH CITRONELLA METAL BUCKET CANDLE

Page: 1

Compilation date: 12/02/2014

Revision date: 19/11/2021

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: CHATSWORTH CITRONELLA METAL BUCKET CANDLE

Product code: CH0218

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SU 21 - Consumer Uses.

PC3: Air care products.

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products (Ireland) Ltd

Block 3

Harcourt Centre, Harcourt Road

Dublin DO2A339

Ireland

Tel: +(44) 839 5949

Email: technical@151products.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 839 5949

+353 (0) 18092166 National Poison Centre -Ireland

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; -: EUH208

Most important adverse effects: Contains citral, terpinolene, geraniol, citronellal. May produce an allergic reaction.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains citral, terpinolene, geraniol, citronellal. May produce an allergic

reaction.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements: P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P501: Dispose of contents/container to Local Authority Regulations.

CHATSWORTH CITRONELLA METAL BUCKET CANDLE

Page: 2

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

CITRAL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
226-394-6	5392-40-5	-	Skin Irrit. 2: H315; Skin Sens. 1: H317	<1%
TERPINOLENE				
209-578-0	586-62-9	-	Aquatic Chronic 1: H410; Skin Sens.	<1%
			1B: H317; Asp. Tox. 1: H304	
L-LIMONENE				
227-815-6	5989-54-8	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315;	<1%
			Skin Sens. 1: H317; Aquatic Acute 1:	
			H400; Aquatic Chronic 1: H410	
PINENE ALPHA	1			
201-291-9	80-56-8	-	Flam. Liq. 3: H226; Asp. Tox. 1: H304;	<1%
			Aquatic Chronic 1: H410; Skin Sens.	

1: H317; Skin Irrit. 2: H315

Contains: Contains allergens >0.01%.

Citral
Citronellol
Geraniol

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.Inhalation: There may be irritation of the nose and upper respiratory tract.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

CHATSWORTH CITRONELLA METAL BUCKET CANDLE

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

CHATSWORTH CITRONELLA METAL BUCKET CANDLE

Page: 4

DNEL/PNEC Values

Hazardous ingredients:

CITRAL

Туре	Exposure	Value	Population	Effect
	·			
DNEL	Inhalation	9mg/m³	Workers	Systemic
DNEL	Dermal	1.7mg/kg	Workers	Systemic
DNEL	Inhalation	2.7mg/m³	General Population	Systemic
DNEL	Dermal	1mg/kg	General Population	Systemic
DNEL	Dermal	140µg/cm²	General Population	Local
DNEL	Oral	0.6mg/kg	General Population	Systemic
PNEC	Fresh water	0.007mg/L	-	-
PNEC	Fresh water sediments	0.125mg/kg	-	-
PNEC	Marine water	0.001 mg/L	-	-
PNEC	Marine sediments	0.013mg/kg	-	-
PNEC	Soil	0.021mg/kg	-	-
PNEC	STP	1.6mg/L	-	-

TERPINOLENE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	3.6 mg/m³	Workers	Systemic (Long Term Exposure)
DNEL	Dermal	0.52 mg/kg bw/day	Workers	Systemic (Long Term Exposure)
DNEL	Dermal	44 μg/cm²	Workers	Local (long Term Exposure)
DNEL	Inhalation	0.9 mg/m³	General Population	Systemic (Long Term Exposure)
DNEL	Dermal	0.26 mg/kg bw/day	General Population	Systemic (Long Term Exposure)
DNEL	Oral	0.26 mg/kg bw/day	General Population	Systemic (Long Term Exposure)
PNEC	Fresh water sediments	0.634 μg/L	-	-
PNEC	Fresh water sediments	147 μg/kg sediment d	-	-
PNEC	Marine water	0.063 µg/L	-	-
PNEC	Marine sediments	14.7 μg/kg sediment	-	-
PNEC	Soil	29.1 μg/kg soil dw	-	-

CHATSWORTH CITRONELLA METAL BUCKET CANDLE

Page: 5

L-LIMONENE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (Long term)	33.3mg/m³	Workers	Systemic
DNEL	Inhalation (Long term)	8.33mg/m³	General Population	Systemic
DNEL	Dermal (Short term)	111µg/cm²	General Population	Local
DNEL	Oral (Long term)	4.76mg/kg bw	General Population	Systemic
PNEC	Fresh water	5.4µg/L	-	-
PNEC	Fresh water sediments	1.32 mg/kg sediment	-	-
PNEC	Marine water	0.54µg/L	-	-
PNEC	Marine sediments	0.13kg sediment	-	-
PNEC	Microorganisms in sewage treatment	0.2mg/L	-	-
PNEC	Soil	0.262mg/kg soil	-	-
PNEC	Food chain	133mg/kg food	-	-

PINENE ALPHA

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (Long term)	5.98 mg/m³	Workers	Systemic (ILong
				Term Exposure)
DNEL	Dermal (Long term)	161 μg/cm²	Workers	Local (Acute
				Exposure)
DNEL	Inhalation (Long term)	1.06 mg/m³	General Population	Systemic (ILong
		-		Term Exposure)
DNEL	Dermal (Long term)	81 µg/cm²	General Population	Systemic (ILong
				Term Exposure)
DNEL	Oral (Long term)	0.31 mg/kg bw/day	General Population	Systemic (ILong
				Term Exposure)
PNEC	Fresh water	4 μg/L	-	-
PNEC	Fresh water sediments	1.033 mg/kg	-	-
		sediment		
PNEC	Marine water	0.4 μg/L	-	-
PNEC	Marine sediments	0.103 mg/kg	-	-
		sediment		
PNEC	Soil	0.539 mg/kg soil dw	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: No special requirements under normal conditions of use.

Hand protection: No special requirements under normal conditions of use.

Eye protection: No special requirements under normal conditions of use.

Skin protection: No special requirements under normal conditions of use.

CHATSWORTH CITRONELLA METAL BUCKET CANDLE

Page: 6

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid
Colour: Yellow
Odour: Pleasant

Solubility in water: Insoluble

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

CITRAL

IPR	RAT	LD50	460	mg/kg
ORL	MUS	LD50	6	g/kg
ORL	RAT	LD50	4960	mg/kg

CHATSWORTH CITRONELLA METAL BUCKET CANDLE

Page: 7

TERPINOLENE

DERMAL	RABBIT	LD50	4300	mg/kg
ORAL	RAT	LD50	3740	mg/kg

L-LIMONENE

DERMAL	RABBIT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

PINENE ALPHA

DERMAL	RABBIT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.Inhalation: There may be irritation of the nose and upper respiratory tract.

Delayed / **immediate effects:** Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

CITRAL

Daphnia magna	48H EC50	6.8	mg/l
FRESHWATER FISH	96H LC50	6.78	mg/l
Scenedesmus Subspicatus	72H ErC50	103.8	mg/l

TERPINOLENE

Daphnia magna	48H EC50	0.634	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	0.805	mg/l

L-LIMONENE

FATHEAD MINNOW (Pimephales promelas)	96H LC50	720	μg/l

PINENE ALPHA

Daphnia magna	48H LC50	41	mg/l

CHATSWORTH CITRONELLA METAL BUCKET CANDLE

Page: 8

Fat Head Minnow	96H LC50	0.28	mg/l
-----------------	----------	------	------

12.2. Persistence and degradability

Persistence and degradability: Not readily biodegradable. The lack of a suitable leaving group renders paraffin and

hydrocarbon waxes resistant to hydrolysis. As such, they have a very low potential to hydrolyze. Therefore, this degradative process will not contribute to their removal from

the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with local authority regulations.

Disposal of packaging: Disposal should be in accordance with local authority regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: A REACH registration number is not applicable as this product is a mixture.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains citral, terpinolene, geraniol, citronellal. May produce an allergic

CHATSWORTH CITRONELLA METAL BUCKET CANDLE

Page: 9

reaction.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.