



SAFETY DATA SHEET

SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Page: 1

Compilation date: 13/04/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Product code: SLP0001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC3: Air care products. SU 21 - Consumer Uses.

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited
The Old School House
39 Bengal Street
Manchester
M4 6AF
UK

Tel: 0161 839 5949

Fax: 0161 839 5493

Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Emergency tel: 0161 839 5949 (08:00 - 17:30)
(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Sens. 1B: H317; Aquatic Chronic 3: H412; -: EUH208

Most important adverse effects: Contains ethyl 3-methyl-3-phenylglycidate, linalool, geraniol, 2,4-dimethyl-3-cyclohexenecarboxaldehyde, nerol. May produce an allergic reaction. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains ethyl 3-methyl-3-phenylglycidate, linalool, geraniol, 2,4-dimethyl-3-cyclohexenecarboxaldehyde, nerol. May produce an allergic reaction.
H317: May cause an allergic skin reaction.
H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark



[cont...]

SAFETY DATA SHEET

SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Page: 2

Signal words: Warning

Precautionary statements: P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P501: Dispose of contents/container to Local authority regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	50-75%

HEXYL CINNAMAL

202-983-3	101-86-0	-	Skin Sens. 1B: H317; Aquatic Chronic 2: H411	3-5%
-----------	----------	---	----------------------------------------------	------

ETHYL 3-METHYL-3-PHENYLGLYCIDATE

201-061-8	77-83-8	-	Skin Sens. 1B: H317; Aquatic Chronic 2: H411	<1%
-----------	---------	---	----------------------------------------------	-----

LINALOOL

201-134-4	78-70-6	-	Skin Sens. 1B: H317	<1%
-----------	---------	---	---------------------	-----

GERANIOL

203-377-1	106-24-1	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Skin Sens. 1: H317	<1%
-----------	----------	---	-----------------------------------------------------------	-----

2,4-DIMETHYL-3-CYCLOHEXENECARBOXALDEHYDE

268-264-1	68039-49-6	-	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412	<1%
-----------	------------	---	--------------------------------------------------------------------------------------	-----

NEROL

203-378-7	106-25-2	-	Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1B: H317	<1%
-----------	----------	---	------------------------------------------------------------	-----

BUTYLATED HYDROXY TOLUENE

204-881-4	128-37-0	-	Aquatic Chronic 1: H410	<1%
-----------	----------	---	-------------------------	-----

Contains: Contains the following allergens >0.01%:

Benzyl alcohol

Benzyl benzoate

Citral

[cont...]

SAFETY DATA SHEET

SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Page: 3

Citronellol
Geraniol
Hexyl cinnamal
Linalool

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes.
Ingestion: Wash out mouth with water. Do not induce vomiting.
Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.
Eye contact: There may be irritation and redness.
Ingestion: There may be soreness and redness of the mouth and throat.
Inhalation: There may be irritation of the nose and upper respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

[cont...]

SAFETY DATA SHEET

SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Page: 4

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	308mg/m ³	-	-	-

BUTYLATED HYDROXY TOLUENE

UK	10mg/m ³	-	-	-
----	---------------------	---	---	---

DNEL/PNEC Values

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	19mg/l	-	-
PNEC	Marine water	1.9mg/l	-	-
PNEC	Fresh water sediments	70.2 mg/kg	-	-
PNEC	Marine sediments	7.02 mg/kg	-	-
PNEC	Soil	2.74mg/kg	-	-
DNEL	Inhalation	308 mg/m ³	Workers	Systemic
DNEL	Dermal	283 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	37.2 mg/m ³	General Population	Systemic

[cont...]

SAFETY DATA SHEET

SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Page: 5

DNEL	Dermal	121 mg/kg bw/day	General Population	Systemic
------	--------	------------------	--------------------	----------

LINALOOL

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	0.2mg/L	-	-
PNEC	Fresh water sediments	2.22mg/kg sediment	-	-
PNEC	Marine water	0.02mg/L	-	-
PNEC	Marine sediments	0.222mg/kg sediment	-	-
PNEC	Soil	0.327mg/kg soil	-	-
PNEC	Food chain	7.8mg/kg food	-	-
DNEL	Inhalation	2.8mg/m ³	Workers	Systemic
DNEL	Dermal	2.5mg/kg bw	Workers	Systemic
DNEL	Dermal	3mg/cm ²	Workers	Local
DNEL	Inhalation	0.7mg/m ³	General Population	Systemic
DNEL	Dermal	1.25mg/kg bw	General Population	Systemic
DNEL	Dermal	1.5mg/cm ²	General Population	Local
DNEL	Oral	0.2mg/kg bw	General Population	Systemic

GERANIOL

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	161.6mg/m ³	Workers	Systemic
DNEL	Dermal	12.5mg/kg	Workers	Systemic
DNEL	Dermal	11800µg/cm ²	Workers	Local
DNEL	Inhalation	47.8mg/m ³	General Population	Systemic
DNEL	Dermal	7.5mg/kg	General Population	Systemic
DNEL	Dermal	11800µg/cm ²	General Population	Local
DNEL	Oral	13.75mg/kg	General Population	Systemic
PNEC	Fresh water	0.011mg/L	-	-
PNEC	Fresh water sediments	0.115mg/kg	-	-
PNEC	Marine water	0.001 mg/L	-	-
PNEC	Marine sediments	0.011mg/kg	-	-
PNEC	Soil	0.017mg/kg	-	-

NEROL

Type	Exposure	Value	Population	Effect
DNEL	Oral	5.4 mg/m ³	Workers	Systemic
DNEL	Dermal	0.76 mg/kg bw/day	Workers	Systemic
DNEL	Dermal	133 µg/cm ²	Workers	Local

[cont...]

SAFETY DATA SHEET

SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Page: 6

DNEL	Oral	0.38 mg/kg bw/day	General Population	Systemic
PNEC	Fresh water	7.45 µg/L	-	-
PNEC	Marine water	0.745 µg/L	-	-
PNEC	Fresh water sediments	133 µg/kg sediment d	-	-
PNEC	Marine sediments	13.3 µg/kg sediment	-	-
PNEC	Soil	22.3 µg/kg soil dw	-	-

BUTYLATED HYDROXY TOLUENE

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	4 µg/L	-	-
PNEC	Marine water	0.4 µg/L	-	-
PNEC	Fresh water sediments	1.29mg/kg	-	-
PNEC	Soil	1.04mg/kg	-	-
DNEL	Inhalation	5.8mg/m ³	Workers	Systemic
DNEL	Dermal	8.3mg/kg	Workers	Systemic
DNEL	Inhalation	1.74mg/m ³	General Population	Systemic
DNEL	Dermal	5mg/kg	General Population	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: No special requirements under normal conditions of use.

Hand protection: No special requirements under normal conditions of use.

Eye protection: No special requirements under normal conditions of use.

Skin protection: No special requirements under normal conditions of use.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid

Colour: Various

Odour: Characteristic odour

Solubility in water: Insoluble

9.2. Other information

Other information: This product is organic material impregnated with fragrance solution.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

[cont...]

SAFETY DATA SHEET

SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Page: 7

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	>20000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	7H LC0	>275	ppm

ETHYL 3-METHYL-3-PHENYLGLYCIDATE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	5470	mg/kg

LINALOOL

DERMAL	RBT	LD50	5610	mg/kg
ORAL	MUS	LD50	2200	mg/kg
ORAL	RAT	LD50	2790	mg/kg
VAPOURS	MUS	LC50	>3.2	mg/l

GERANIOL

DERMAL	RAT	LD50	>5000	mg/kg
ORAL	RAT	LD50	3600	mg/kg

[cont...]

SAFETY DATA SHEET

SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Page: 8

2,4-DIMETHYL-3-CYCLOHEXENECARBOXALDEHYDE

ORAL	RAT	LD50	>2000	mg/kg
------	-----	------	-------	-------

NEROL

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	4500	mg/kg

BUTYLATED HYDROXY TOLUENE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	2450	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Respiratory/skin sensitisation	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the nose and upper respiratory tract.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

BROWN SHRIMP (<i>Crangon crangon</i>)	96H LC50	>10000	mg/l
Daphnia magna	48H EC50	1919	mg/l
FATHEAD MINNOW (<i>Pimephales promelas</i>).	96H LC50	>10000	mg/l

ETHYL 3-METHYL-3-PHENYLGLYCIDATE

RAINBOW TROUT (<i>Oncorhynchus mykiss</i>)	96H LC50	4.2	mg/l
----------------------------------------------	----------	-----	------

LINALOOL

Daphnia magna	48H EC50	59	mg/l
RAINBOW TROUT (<i>Oncorhynchus mykiss</i>)	96H LC50	27.8	mg/l

[cont...]

SAFETY DATA SHEET

SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Page: 9

GERANIOL

Daphnia magna	48H EC50	10.8	mg/l
Desmodesmus subspicatus	72H ErC50	13.1	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC0	10	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC100	46.4	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	22	mg/l

NEROL

Daphnia magna	48H EC50	32.4	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	20	mg/l

BUTYLATED HYDROXY TOLUENE

(Q)SAR	96H LC50	0.199	mg/l
Daphnia magna	48H EC50	0.48	mg/l

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with Local Authority Regulations.

Disposal of packaging: Disposal should be in accordance with Local Authority Regulations.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

[cont...]

SAFETY DATA SHEET

SLUSH PUPPIE 3D CAR AIR FRESHENER - BLUE RASPBERRY

Page: 10

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

