



SAFETY DATA SHEET
TANGO CAR AIRFRESHENER 2PK ORANGE

Page: 1
Compilation date: 15/01/2014
Revision date: 08/07/2015
Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TANGO CAR AIRFRESHENER 2PK ORANGE
Product code: TG1006

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited
The Old School House
39 Bengal Street
Manchester
M4 6AF
UK
Tel: 0161 839 5949
Fax: 0161 839 5493
Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411; -: EUH208

Most important adverse effects: Contains citral, luraldehyde, pinene alpha, pinene beta. May produce an allergic reaction. Causes skin irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains citral, luraldehyde, pinene alpha, pinene beta. May produce an allergic reaction.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark
GHS09: Environmental



SAFETY DATA SHEET
TANGO CAR AIRFRESHENER 2PK ORANGE

Page: 2

Signal words: Warning

Precautionary statements: P264: Wash hands thoroughly after handling.
P273: Avoid release to the environment.
P102: Keep out of reach of children.
P101: If medical advice is needed, have product container or label at hand.
P501: Dispose of contents/container to Local Authority Regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPENTENE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
205-341-0	138-86-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	5-10%

DECANAL

203-957-4	112-31-2	-	Eye Irrit. 2: H319	1-3%
-----------	----------	---	--------------------	------

LINALOOL

201-134-4	78-70-6	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-3%
-----------	---------	---	---	------

LINALYL ACETATE

204-116-4	115-95-7	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-3%
-----------	----------	---	---	------

CITRAL

226-394-6	5392-40-5	-	Skin Irrit. 2: H315; Skin Sens. 1: H317	<1%
-----------	-----------	---	---	-----

LAURALDEHYDE

203-983-6	112-54-9	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1B: H317	<1%
-----------	----------	---	--	-----

PINENE ALPHA

201-291-9	80-56-8	-	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Sens. 1: H317; Skin Irrit. 2: H315	<1%
-----------	---------	---	--	-----

PINENE BETA

204-872-5	127-91-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317; Asp. Tox. 1: H304	<1%
-----------	----------	---	---	-----

Contains: Contains the following allergens >0.01%:

Citral
d-Limonene
Linalool

[cont...]

SAFETY DATA SHEET
TANGO CAR AIRFRESHENER 2PK ORANGE

Page: 3

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Accidental ingestion of this product is unlikely. Wash out mouth with water. Do not induce vomiting.

Inhalation: If irritation persists seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: May cause irritation.

Delayed / immediate effects: May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

[cont...]

SAFETY DATA SHEET
TANGO CAR AIRFRESHENER 2PK ORANGE

Page: 4

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: No special requirements under normal conditions of use.

Hand protection: Protective gloves.

Eye protection: No special requirements under normal conditions of use.

Skin protection: No special requirements under normal conditions of use.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid

Odour: Pleasant

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

[cont...]

SAFETY DATA SHEET
TANGO CAR AIRFRESHENER 2PK ORANGE

Page: 5

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPENTENE

IVN	MUS	LD50	1010	µl/kg
ORL	MUS	LD50	5550	µl/kg
ORL	RAT	LD50	5300	mg/kg

DECANAL

DERMAL	RBT	LD50	5.04	mL/kg
ORAL	RAT	LD50	>33	g/kg

LINALOOL

DERMAL	RBT	LD50	5610	mg/kg
ORAL	MUS	LD50	2200	mg/kg

LINALYL ACETATE

DERMAL	RBT	LD50	>5000	mg/kg
IP	MUS	LD50	800	uL/kg
ORAL	RAT	LD50	>9	g/kg

CITRAL

IPR	RAT	LD50	460	mg/kg
ORL	MUS	LD50	6	gm/kg
ORL	RAT	LD50	4960	mg/kg

[cont...]

SAFETY DATA SHEET
TANGO CAR AIRFRESHENER 2PK ORANGE

Page: 6

LAURALDEHYDE

ORAL	RAT	LD50	23.1	g/kg
------	-----	------	------	------

PINENE ALPHA

DERMAL	RABBIT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

PINENE BETA

DERMAL (Read across)	RABBIT	LD50	>2500	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: May cause irritation.

Delayed / immediate effects: May produce an allergic reaction.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DECANAL

Daphnia magna	48H EC50	1.17	mg/l
RAINBOW TROUT (<i>Oncorhynchus mykiss</i>)	96H LC50	1.45	mg/l
Selenastrum capricornutum	72H ErC50 (Read acro)	4.50	mg/l

LINALOOL

RAINBOW TROUT (<i>Oncorhynchus mykiss</i>)	96H LC50	27.8	mg/l
--	----------	------	------

[cont...]

SAFETY DATA SHEET
TANGO CAR AIRFRESHENER 2PK ORANGE

Page: 7

LINALYL ACETATE

Cyprinus carpio	96H LC50	11	mg/l
Daphnia magna	48H EC50	15	mg/l
Scenedesmus Subspicatus	72H ErC50	62	mg/l

LAURALDEHYDE

RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	2.6	mg/l
-------------------------------------	----------	-----	------

PINENE ALPHA

Daphnia magna	48H LC50	41	mg/l
Fat Head Minnow	96H LC50	0.28	mg/l

PINENE BETA

CARP (Ciprinus carpio)	96H LC50	> Limit of solubilit	-
------------------------	----------	----------------------	---

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with Local Authority Regulations.

Disposal of packaging: Disposal should be in accordance with Local Authority Regulations.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3077

[cont...]

SAFETY DATA SHEET
TANGO CAR AIRFRESHENER 2PK ORANGE

Page: 8

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.